

GRAND CHEROKEE WK & WK2

ARB DELUXE BULL BARS & WINCH BARS					
YEAR	MODEL	FEATURES	WINCHES	PART NO.	
2017-20 WK2	DELUXE WINCH BUMPER	AIRBAG APPROVED, INDICATORS, OPTIONAL FOG LIGHT ¹ , TOW POINTS, JACK POINTS, WORKS WITH PARK SENSORS AND RADAR ⁵ , BLACK	HS9500, XD9000, M8000, 9.5XP, ZEON ⁴	3450480 ^{1,3,4,5,6,7}	
2014-16 WK2	DELUXE WINCH BUMPER	AIRBAG APPROVED, RECESSED INDICATORS, OPTIONAL FOG LIGHT PROVISION ¹ , TOW POINTS, SPLIT PAN, WORKS WITH PARK SENSORS ² , BLACK	HS9500, XD9000, M8000, 9.5XP, ZEON ⁴	3450420 ^{1,2,3,4,7}	
2011-13 WK2	DELUXE WINCH BUMPER	AIRBAG APPROVED, RECESSED INDICATORS, OPTIONAL FOG LIGHT PROVISION ¹ , TOW POINTS, SPLIT PAN, WORKS WITH PARK SENSORS ² , BLACK	HS9500, XD9000, M8000, 9.5XP, ZEON ⁴	3450410 ^{1,2,3,4,7}	
2005-07 WK	DELUXE WINCH BUMPER	AIRBAG APPROVED, RECESSED INDICATORS, FACTORY FOG LIGHT PROVISION, TOW POINTS, SPLIT PAN, BLACK	HS9500, XD9000, M8000, 9.5XP, ZEON ⁴	3450130 ^{4,7}	

- 1 OPTIONAL ARB FOG LAMP KIT PART NO. 6821201 (HALOGEN) OR 3500890 (LED) AVAILABLE. 3500440 (SUITS HALOGEN) OR 3500520 (SUITS LED) LOOM REQUIRED WHEN FITTING OPTIONAL FOG LAMP KIT (SEE NOTE #8)
- 2 ADDITIONAL FITTING KIT P/N **3550110** REQUIRED WHEN FITTING BUMPER TO VEHICLE EQUIPPED WITH FACTORY PARKING SENSORS AND RADAR.
- 3 WINCH INSTALL KIT PART NUMBER **3540050** REQUIRED WHEN FITTING WINCH
- 4 WARN KIT PART NUMBER **W89965** REQUIRED WHEN FITTING WARN ZEON WINCH
- 5 WILL NOT FIT SRT OR TRACKHAWK MODELS
- 6 FORWARD COLLISION RADAR KIT IS REQUIRED IF EQUIPPED. PART NUMBER **3550110** FOR 2017 MODELS AND **3550130** FOR 2018-2020 MODELS.
- 7 KIT PART NUMBER **3500600** REQUIRED WHEN FITTING HAWSE FAIRLEAD.

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
REAR 2005-10	CHRYSLER 8.25" DIA. RING GEAR		1.21" (30.7MM)	29	ALL	RD93 ¹
	DANA 44A (SRT8 MODEL)		1.31" (33.3MM)	30	ALL	RD226

- 1 NEW OEM DANA 35, DANA 44 & CHRYSLER 8.25" RING GEARS MAY USE 3/8", 7/16" OR 1/2" RING GEAR BOLTS. AIR LOCKER FLANGE HOLES MUST BE DRILLED OR REAMED LARGER TO SUIT 7/16" OR 1/2" BOLTS
- 2 QUADRADRIVE TRACTION CONTROL VEHICLES REQUIRE NON-QUADRADRIVE AXLE SHAFT REPLACEMENTS FOR AIR LOCKER INSTALLATION.

ARB DIFFERENTIALS & ACCESSORIES

AXLE	DESCRIPTION	PART NO.
CHRYSLER 8.25"	ARB DIFFERENTIAL COVER FOR CHRYSLER 8.25" (10-BOLT COVER) - RED	0750005
CHRYSLER 8.25"	ARB DIFFERENTIAL COVER FOR CHRYSLER 8.25" (10-BOLT COVER) - BLACK	0750005B

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2005-10 WK	FRONT	MEDIUM LOAD	SPRING	2.0"	1	2990	
			STRUT		2	*N219S/N188S	
	FRONT	HEAVY LOAD (90-200LBS)	SPRING	2.0"	1	2991	
			STRUT		2	*N219S/N188S	
	REAR	MEDIUM LOAD	SPRING	2.0"	1	2992	
			SHOCK		2	*N220/N190	
	REAR	HEAVY LOAD (90-200LBS)	SPRING	2.0"	1	2993	
			SHOCK		2	*N220/N190	
	2011-15 WK2 V6 GAS ENGINE	FRONT	LIGHT LOAD - NO ARB BUMPER	SPRING	1.75"	1	3118
				STRUT		2	90026 ¹
		MEDIUM LOAD - WITH ARB BUMPER - NO WINCH	SPRING	1.75"	1	3119	
			STRUT		2	90026 ¹	
		HEAVY LOAD - WITH ARB BUMPER AND WINCH	SPRING	1.75"	1	3120	
			STRUT		2	90026 ¹	
OPTIONAL		FRONT TRIM PACKER - GAS OR DIESEL					FK79

* FIRMER VALVED SHOCK



GRAND CHEROKEE WK & WK2

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2011-15 WK2 DIESEL & HEMI V8 GAS NON QUADRA-LIFT AIR SUSPENSION	FRONT GAS	LIGHT LOAD - NO ARB BUMPER	SPRING	1.5"	1	3118 ⁴
			STRUT		2	90026 ^{1,4}
		MEDIUM LOAD - WITH ARB BUMPER - NO WINCH	SPRING	1.5"	1	3119 ⁴
			STRUT		2	90026 ^{1,4}
		HEAVY LOAD - WITH ARB BUMPER & WINCH	SPRING	1.5"	1	3120 ⁴
			STRUT		2	90026 ^{1,4}
	FRONT DIESEL	LIGHT LOAD - NO ARB BUMPER	SPRING	1.5"	1	3119 ⁴
			STRUT		2	90026 ^{1,4}
		MEDIUM LOAD - WITH ARB BUMPER - NO WINCH	SPRING	1.5"	1	3120 ⁴
			STRUT		2	90026 ^{1,4}
		HEAVY LOAD - WITH ARB BUMPER & WINCH	SPRING	1.5"	1	3121 ⁴
			STRUT		2	90026 ^{1,4}
REAR - GAS & DIESEL - NON TOW PACKAGE	MEDIUM LOAD - (NON NIVOMAT EQUIPPED REAR SHOCKS	SPRING	2.0"	1	3074 ⁴	
		SHOCK		2	60124 ⁴	
	HEAVY CONSTANT LOAD - 660 LBS (NON NIVOMAT EQUIPPED REAR SHOCKS)	SPRING	2.0"	1	3060 ⁴	
		SHOCK		2	60125 ⁴	
	MEDIUM LOAD - WITH NIVOMAT EQUIPPED REAR SHOCKS	SPRING	2.0"	1	3074 ⁴	
		SHOCK		2	60126 ^{2,3,4}	
HEAVY CONSTANT LOAD - 660 LBS (WITH NIVOMAT EQUIPPED REAR SHOCKS)	SPRING	2.0"	1	3060 ⁴		
	SHOCK		2	60127 ^{2,3,4}		
OPTIONAL	FRONT TRIM PACKER - GAS OR DIESEL					FK79

¹ NO TOP MOUNTING BUSHINGS AND DIRT SHIELD SUPPLIED, RE-USE OE BUSHING AND DIRT SHIELD

² TOW PACKAGE OPTION USES A **NIVOMAT** (SELF LEVELING) SHOCK ABSORBER AND REQUIRES A SPECIFIC DESIGN REAR SHOCK. SEE ABOVE FOR CORRECT OME PART NUMBER (EITHER PART NO. 60126 OR 60127 DEPENDING ON LOAD REQUIREMENTS).

³ **PLEASE NOTE:** WHEN REPLACING NIVOMAT SHOCKS, YOU MUST FIT THE APPROPRIATE OME LOAD SPRING (SEE ABOVE). TO IDENTIFY WHETHER A VEHICLE HAS THE STANDARD FITMENT REAR SHOCK OR NIVOMAT SHOCK, THE OUTER BODY DIAMETER WILL NEED TO BE MEASURED: STANDARD 51MM, NIVOMAT 63MM

⁴ WILL NOT WORK WITH QUADRA-LIFT AIR SUSPENSION SYSTEM.

- OLD MAN EMU SUSPENSION CONTINUED NEXT PAGE -

GRAND CHEROKEE WK & WK2

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2016-20 WK2 DIESEL & HEMI V8 GAS	FRONT GAS	LIGHT LOAD - NO ARB BUMPER	SPRING	1.5"	1	3118 ³
			STRUT LHS		1	90035 ^{1,3}
			STRUT RHS		1	90036 ^{1,3}
		MEDIUM LOAD - WITH ARB BUMPER - NO WINCH	SPRING	1.5"	1	3119 ³
			STRUT LHS		1	90035 ^{1,3}
			STRUT RHS		1	90036 ^{1,3}
		HEAVY LOAD - WITH ARB BUMPER & WINCH	SPRING	1.5"	1	3120 ⁴
			STRUT LHS		1	90035 ^{1,3}
			STRUT RHS		1	90036 ^{1,3}
	FRONT DIESEL	LIGHT LOAD - NO BUMPER	SPRING	1.5"	1	3119 ³
			STRUT LHS		1	90035 ^{1,3}
			STRUT RHS		1	90036 ^{1,3}
		MEDIUM LOAD - WITH ARB BUMPER - NO WINCH	SPRING	1.5"	1	3120 ³
			STRUT LHS		1	90035 ^{1,3}
			STRUT RHS		1	90036 ^{1,3}
HEAVY LOAD - WITH ARB BUMPER & WINCH		SPRING	1.5"	1	3121 ³	
		STRUT LHS		1	90035 ^{1,3}	
		STRUT RHS		1	90036 ^{1,3}	
2016-20 WK2 DIESEL & HEMI V8 GAS - REAR - GAS & DIESEL - NO TOW PACKAGE²	MEDIUM LOAD	SPRING	1.5"	1	3074 ³	
		SHOCK		2	60124 ^{2,3}	
	HEAVY CONSTANT LOAD - 660 LBS	SPRING	1.5"	1	3060 ³	
		SHOCK		2	60125 ^{2,3}	
2018-20 WK2 DIESEL & HEMI V8 GAS - REAR - GAS & DIESEL - WITH TOW PACKAGE²	MEDIUM LOAD	SPRING	1.5"	1	3074 ³	
		SHOCK		2	60152 ^{2,3}	
	HEAVY CONSTANT LOAD - 660 LBS	SPRING	1.5"	1	3060 ³	
		SHOCK		2	60153 ^{2,3}	
2016-17 WK2 DIESEL & HEMI V8 GAS - REAR - GAS & DIESEL - WITH TOW PACKAGE²	MEDIUM LOAD	SPRING	1.5"	1	3074 ³	
		SHOCK		2	60126 ^{2,3}	
	HEAVY CONSTANT LOAD - 660 LBS	SPRING	1.5"	1	3060 ³	
		SHOCK		2	60127 ^{2,3}	
OPTIONAL	FRONT TRIM PACKER - GAS OR DIESEL					FK79

¹ NO TOP MOUNTING BUSHINGS AND DIRT SHIELD SUPPLIED, RE-USE OE BUSHING AND DIRT SHIELD

² **PLEASE NOTE:** TOW PACKAGE OPTION USES NIVOMAT (SELF LEVELING) SHOCK ABSORBERS AND REQUIRES A SPECIFIC DESIGN. WHEN REPLACING NIVOMAT SHOCKS, YOU MUST FIT THE APPROPRIATE OME SPRING. TO IDENTIFY WHETHER A VEHICLE HAS THE STANDARD OR NIVOMAT SHOCK, THE OUTER BODY DIAMETER WILL NEED TO BE MEASURED. STANDARD: 51MM, NIVOMAT: 63MM

³ WILL NOT WORK WITH QUADRA-LIFT AIR SUSPENSION SYSTEM.